L Number	Hits	Search Text	DB	Time stamp
-	409	(345/211).CCLS.	USPAT;	2003/01/21 09:01
			US-PGPUB	
-	167	(("345/211").CCLS.) and diode	USPAT;	2002/01/10 08:46
			US-PGPUB	
-	162	(("345/211").CCLS.) and diode	USPAT	2002/01/10 08:46
-	1	("4923285").PN.	USPAT;	2002/01/10 12:56
			US-PGPUB	,
-	409	(345/211).CCLS.	USPAT;	2002/01/10 12:57
1			US-PGPUB	
-	167	(("345/211").CCLS.) and diode	USPAT;	2002/01/10 13:00
			US-PGPUB	
-	0	(("345/211").CCLS.) and row adj scan adj driver	USPAT;	2002/01/10 13:01
	2	P P	US-PGPUB	
-	2	row adj scan adj driver	USPAT;	2002/01/10 13:02
	220		US-PGPUB	
-	328	scan adj driver	USPAT;	2002/01/17 08:01
	10	(("245/211") CCLS) and (accurate this con)	US-PGPUB	2002/01/10 12 00
-	10	(("345/211").CCLS.) and (scan adj driver)	USPAT;	2002/01/10 13:09
_	85	(scan adj driver) and diode	US-PGPUB	2002/01/10 12 10
-	63	(scall adj driver) and drode	USPAT; US-PGPUB	2002/01/10 13:10
_	5613	plurality adj2 diode	USPAT;	2002/01/14 14:55
	3013	proranty adja diode	US-PGPUB	2002/01/14 14:55
_	2	(scan adj driver) and (plurality adj2 diode)	USPAT;	2002/01/10 13:12
	_	(Sour adjustiver) and (pluranty adj2 diode)	US-PGPUB	2002/01/10 13.12
- 1	445	diode adj group	USPAT;	2002/01/14 14:40
		aloue auj group	US-PGPUB	2002/01/14 14.40
-	1	(scan adj driver) and (diode adj group)	USPAT;	2002/01/10 13:13
	-	(arout any group)	US-PGPUB	2002/01/10 15:15
-	1354	(345/208-213).CCLS.	USPAT;	2002/01/11 08:25
		,	US-PGPUB	
-	30	scan adj driver and (("345/208-213").CCLS.)	USPAT;	2002/01/14 10:12
		, , ,	US-PGPUB	
-	1731	(345/94-100).CCLS.	USPAT;	2002/01/11 13:34
			US-PGPUB	
-	58	scan adj driver and (("345/94-100").CCLS.)	USPAT;	2002/01/14 09:55
			US-PGPUB	
-	20483	display with driver	USPAT;	2002/01/14 10:08
			US-PGPUB	
-	29635	diode with ground	USPAT;	2002/01/14 10:08
			US-PGPUB	
-	57	(display with driver) same (diode with ground)	USPAT;	2002/01/14 14:28
			US-PGPUB	
-	7016	display with driver	EPO; JPO	2002/01/14 10:08
-	2587	diode with ground	EPO; JPO	2002/01/14 10:08
-	4	(display with driver) same (diode with ground)	EPO; JPO	2002/01/14 10:09
-	95	row adj driver and (("345/208-213").CCLS.)	USPAT;	2002/01/14 10:13
	4	(dignless with drivery come (die de with every 1)	US-PGPUB	0000/01/11
_	4 855	(display with driver) same (diode with ground)	EPO; JPO	2002/01/14 14:31
-	446	liquid adj crystal same diode	EPO; JPO	2002/01/14 14:32
-	459	liquid adj crystal adj display same diode	EPO; JPO	2002/01/14 14:32
_	439	liquid adj crystal adj display same transistor with diode	USPAT;	2002/01/14 14:34
			US-PGPUB;	
_	1	liquid adj crystal adj display same transister with diode	EPO; JPO	2002/01/14 14 25
		inquid adj crystal adj display sallic transister with diode	USPAT;	2002/01/14 14:35
			US-PGPUB;	
_	459	liquid adj crystal adj display same transistor with diode	EPO; JPO	2002/01/14 14:25
	707	inquio auj crystat auj dispiay saitie transistor with diode	USPAT;	2002/01/14 14:37
			US-PGPUB;	
	127	liquid adj crystal adj display same transistor with diode and driver	EPO; JPO USPAT;	2002/09/24 14:23
I	- ~ ,	and organic and display same transistor with alone and driver		2002/07/24 14:23
ļ			US-PGPUB;	

	1	T		
-	8	diode adj group and transmittance	USPAT; US-PGPUB	2002/01/14 14:45
-	23365	transmittance	USPAT;	2002/01/14 14:45
			US-PGPUB	
-	21	scan adj driver and transmittance	USPAT;	2002/01/14 14:47
			US-PGPUB	
-	5678	(plurality or multiplicity) adj2 diode	USPAT;	2002/01/14 14:59
1_	64	transmittance and ((plurality or multiplicity) adj2 diode)	US-PGPUB USPAT;	2002/01/14 14:59
		transmittance and ((piuranty of multiplicity) adj2 diode)	US-PGPUB	2002/01/14 14.39
-	3565	(plurality or multiplicity) adj diode	USPAT;	2002/01/14 15:06
			US-PGPUB	
-	24	transmittance and ((plurality or multiplicity) adj diode)	USPAT;	2002/01/14 15:06
			US-PGPUB	
-	0	transmittance and ((plurality or multiplicity) adj diode)	EPO; JPO	2002/01/14 15:06
-	154	((plurality or multiplicity) adj diode) same temperature	USPAT;	2002/01/15 09:51
1_	25	((plurality or multiplicity) adj diode) same temperature and display	US-PGPUB USPAT;	2002/01/15 09:28
	23	((planatily of maniphenty) and diode) same temperature and display	US-PGPUB	2002/01/13 09.26
-	154	((plurality or multiplicity) adj diode) same temperature	USPAT;	2002/01/15 11:48
			US-PGPUB	
-	154	((plurality or multiplicity) adj diode) same temperature	USPAT;	2002/01/15 11:49
	.	H07202120H	US-PGPUB	000000
-	1 2	"07202129" "07202129"	JPO	2002/01/15 14:36
-		0/202129	JPO; DERWENT	2002/01/15 14:35
-	1	US-5500547-A.ĎID.	DERWENT	2002/01/15 14:35
.	947	scan adj drive\$	USPAT;	2002/01/18 15:56
		·	US-PGPUB	
-	5869	data adj drive\$	USPAT;	2002/01/17 08:03
	,,,		US-PGPUB	
-	111	(scan adj drive\$) same (data adj drive\$)	USPAT;	2002/01/17 13:45
_	37	(scan adj drive\$) same (data adj drive\$)	US-PGPUB EPO; JPO	2002/01/17 13:45
	2	scan adj drive\$ same zener	USPAT;	2002/01/17 15:06
			US-PGPUB	2002/01/17/15:00
-	0	scan adj drive\$ same zener	EPO; JPO;	2002/01/17 15:08
			IBM_TDB	
-	6	liguid adj crystał adj display	EPO; JPO;	2002/01/17 15:11
_	101783	liquid adj crystal adj display	IBM_TDB USPAT;	2002/01/17 15:12
		inquia adj orystar adj dispray	US-PGPUB;	2002/01/17 13.12
			EPO; JPO;	
			IBM_TDB	
-	297722	driver\$	USPAT;	2002/01/17 15:13
			US-PGPUB;	
			EPO; JPO;	
-	6219	(liquid adj crystal adj display) same driver\$	IBM_TDB USPAT;	2002/01/17 15:14
		Control of the many environment of the control of t	US-PGPUB;	2002/01/17 13.14
			EPO; JPO;	
			IBM_TDB	
-	4336	(liquid adj crystal adj display) with driver\$	USPAT;	2002/01/17 15:15
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	1140	scan adj drive\$	USPAT;	2002/01/18 15:48
			US-PGPUB;	
			EPO; JPO;	
		1. 6 /	IBM_TDB	
-	472	driver\$ same (scan adj drive\$)	USPAT;	2002/01/17 15:17
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
	·		יייייייייייייייייייייייייייייייייייייי	

	T			
-	445	driver\$ with (scan adj drive\$)	USPAT;	2002/01/17 15:17
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	404	driver\$ with (scan adj drive\$)	USPAT;	2002/01/17 15:19
		, , ,	EPO; JPO;	
			IBM TDB	
_	61	(liquid adj crystal adj display) with (scan adj drive\$)	USPAT;	2002/01/17 15:19
	,	(inquite day crystal ady display) with (scall ady diffect)	EPO; JPO;	2002/01/17 13.19
	,	("((121042") D))	IBM_TDB	2002/01/10 15 14
-	1	("6121943").PN.	USPAT;	2002/01/18 15:14
			US-PGPUB	
-	2	6121943.URPN.	USPAT;	2002/01/18 15:14
			EPO; JPO;	
	1		IBM_TDB	
-	20	("4338598" "4443741" "4485379" "4797667" "4864182"	USPAT;	2002/01/18 15:20
1		"4866348" "4888523" "4999618" "5463283" "5629716"	EPO; JPO;	
		"5847516").PN.	IBM TDB	
_	1	scan adj drive\$ adj power adj circuit	USPAT;	2002/01/18 15:52
		Sounday arrives and power and enforce		2002/01/16 13.32
	1		US-PGPUB;	
	1		EPO; JPO;	
	_		IBM_TDB	
-	0	data adj drive\$ adj power adj circuit	USPAT;	2002/01/18 15:54
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	22258	power adj supply adj circuit	USPAT;	2002/01/18 15:58
		,	US-PGPUB;	2002/01/10 15:50
			EPO; JPO;	
	25	manuar adi annula adi atau isang ang atau isang at	IBM_TDB	
-	23	power adj supply adj circuit and scan adj drive\$	USPAT;	2002/01/18 15:59
	•		US-PGPUB;	
	i		EPO; JPO;	
	1		IBM_TDB	
-	2	("3956661").PN.	USPAT;	2002/01/24 10:58
	i		EPO; JPO;	
			IBM_TDB	
-	1	("6121943").PN.	USPAT;	2002/01/24 10:58
	_	(0.2.5.0)	EPO; JPO;	2002/01/24 10.36
		("5472290") DNI	IBM_TDB	
-	1	("5473289").PN.	USPAT;	2002/01/24 10:59
			EPO; JPO;	
	_	(#4100701#) 791	IBM_TDB	
-	2	("4198581").PN.	USPAT;	2002/01/24 10:59
			EPO; JPO;	
			IBM_TDB	
-	2	("4622635").PN.	USPAT;	2002/01/24 10:59
		·	EPO; JPO;	
			IBM_TDB	
]_	2	("4677850").PN.	USPAT;	2002/01/24 11:00
1	[~]	() j j j j j j.		2002/01/24 11:00
]			EPO; JPO;	
		/"5410100"\ DNI	IBM_TDB	0000/01/2
-	2	("5419199").PN.	USPAT;	2002/01/24 11:00
			EPO; JPO;	
1		///	IBM_TDB	
-	1	("6236394").PN.	USPAT;	2002/02/14 14:19
			EPO; JPO;	
			IBM_TDB	
]-	1	("5663743").PN.	USPAT;	2002/02/14 15:44
]	1	· /	US-PGPUB	2002/02/14 13.44
1.	1	("6236394").PN.		2002/02/14 15 45
	·	(0230374 J.I IV.	USPAT;	2002/02/14 15:45
	,	(1157.4500011) DNI	US-PGPUB	١.
-	1	("5745092").PN.	USPAT;	2002/02/14 15:45
L			US-PGPUB	

-]	("4570115").PN.	USPAT; US-PGPUB	2002/02/14 15:46
-	1	("4297697").PN.	USPAT; US-PGPUB	2002/02/14 15:46
-	146	liquid adj crystal adj display same transistor with diode and driver	USPAT; US-PGPUB;	2002/09/24 14:24
-	111673	(liquid adj crystal adj display) or (LDC adj (panel or display))	EPO; JPO USPAT; US-PGPUB;	2002/09/25 10:15
-	4656	((liquid adj crystal adj display) or (LDC adj (panel or display))) near3 (drive or driver)	EPO; JPO USPAT; US-PGPUB;	2002/09/24 14:49
-	21	((((liquid adj crystal adj display) or (LDC adj (panel or display))) near3 (drive or driver)) same (transistor with capacitor)	EPO; JPO USPAT; US-PGPUB;	2002/09/24 14:38
-	1842	(transistor with (capacitor adj2 ground))	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/09/24 14:49
-	7	(((liquid adj crystal adj display) or (LDC adj (panel or display))) near3 (drive or driver)) and ((transistor with (capacitor adj2 ground)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/09/24 14:44
_	23	(liquid adj crystal adj display) or (LDC adj (panel or display))	IBM_TDB USOCR	2002/09/24 14:48
-	0	((liquid adj crystal adj display) or (LDC adj (panel or display))) near3 (drive or driver)	USOCR	2002/09/24 14:49
-	473	(transistor with (capacitor adj2 ground))	USOCR	2002/09/25 09:48
•	0	((liquid adj crystal adj display) or (LDC adj (panel or display))) and ((transistor with (capacitor adj2 ground)))	USOCR	2002/09/24 14:50
-	473	transistor with (capacitor adj2 ground)	USOCR	2002/09/25 09:49
-	159	transistor same (capacitor with ground with (high adj frequency))	USOCR	2002/09/25 09:51
-	25	transistor with output with (capacitor with ground with (high adj frequency))	USOCR	2002/09/25 09:54
-	39	transistor with output with (capacitor with ground with (high adj frequency))	USPAT	2002/09/25 10:06
-	208686	power adj supply	USPAT	2002/09/25 10:16
-	90	emitter with (high adj frequency) with capacitor with ground	USPAT	2002/09/25 10:09
-	42	(power adj supply) and (emitter with (high adj frequency) with capacitor with ground)	USPAT	2002/09/25 10:09
-	11	(power adj supply) same (emitter with (high adj frequency) with capacitor with ground)	USPAT	2002/09/25 10:09
-	111673	(liquid adj crystal adj display) or (LDC adj (panel or display))	USPAT; US-PGPUB; EPO; JPO	2002/09/25 10:15
-	0	((liquid adj crystal adj display) or (LDC adj (panel or display))) and (emitter with (high adj frequency) with capacitor with ground)	USPAT; US-PGPUB; EPO; JPO	2002/09/25 10:15
-	2391	power adj driver	USPAT	2002/09/25 10:16
-	0	(power adj driver) and (emitter with (high adj frequency) with capacitor with ground)	USPAT	2002/09/25 10:17
-	1	("4621260").PN.	USPAT; US-PGPUB	2002/09/25 11:05
-	1	("5379003").PN.	USPAT; US-PGPUB	2002/09/25 11:05
-	1	("4582395").PN.	USPAT; US-PGPUB	2002/09/25 11:06
-	138	(345/101).CCLS.	USPAT; US-PGPUB	2003/01/21 09:01
-	653	(345/100).CCLS.	USPAT; US-PGPUB	2003/01/21 09:01
			20-1 OI OD	

-	129372	(brightness or voltage) near2 control	USPAT;	2003/01/21 09:10
			US-PGPUB;	
	ļ		EPO; JPO;	
			IBM_TDB	
-	25054	(brightness or voltage) near2 regulator	USPAT;	2003/01/21 09:08
			US-PGPUB;	
]			EPO; JPO;	
			IBM_TDB	
-	18508	temperature near2 compensation	USPAT;	2003/01/21 09:09
			US-PGPUB;	
			EPO; JPO;	
	,		IBM_TDB	
-	18	((brightness or voltage) near2 control) same ((brightness or voltage)	USPAT;	2003/01/21 09:11
		near2 regulator) same (temperature near2 compensation)	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	15	(((brightness or voltage) near2 control) same ((brightness or voltage)	USPAT;	2003/01/21 09:11
		near2 regulator) same (temperature near2 compensation)) and	US-PGPUB;	
		@ad<19990128	EPO; JPO;	
			IBM TDB	